ESTD 1798
J. GIBSON McILVAIN Co.
PREMIUM WOOD PRODUCTS
FROM FOREST TO FINISHED

ALPHA
BY J. GIBSON McILVAIN CO.
The A-List Finished Wood Products

PEMAQUID



Manufactured from Ipe, Pemaquid has high variability in appearance. The material is sourced with sustainable methods from Brazil and is known as the King of Decking due to its unmatched durability, allowing it to last for decades. This product is utilized in exterior applications primarily for decking, but can be moulded to cladding profiles as well. FSC Material is available upon request for this look.

TECH SPECS

Janka Hardness: 3684 lbs
Fire Rating: Class A
Durabilty: Class 1
Movement:
Radial Shrinkage: 7%
Tangential Shrinkage: 8%
Grade: FAS

Finish:
Oil-Based Wood Stabilizer
- Finished on 1 show face and sealed on back and sides unless otherwise noted

VOC Range: 215 g/L

Width: 4 - 12"
Thickness: 1 - 6"
Length: up to 22'
Variability Score: 4

For use in **exterior** applications

INSTALLATION

Alpha Decking is compatible with the following installation methods:
- Clip Systems
- Hidden Fasteners
- Visible Fasteners

A proper acclimation period is required once material is received to ensure best results.
Decking should be installed on joists 16 inches on center, as per code.

CARE & MAINTENANCE

Plan to inspect decking annually to determine if reapplication is needed. In shaded areas, reapplication may not be as frequent. Please refer to our full care & maintenance instructions for more information.

CERTIFICATIONS & LEED ELIGIBILITY

- **FSC** material* available upon request
- **LEED Eligibility:**
  - 2 Points: MR7 Materials & Resources | Sourcing of Raw Materials
- Other points available for site-specific attributes

*specifying FSC material may increase lead times and cost

Revit

BIM Objects are available on our website for all Alpha products. Please visit http://www.mcilvain.com/bim-library to download.

ALPHA
BY J. GIBSON McILVAIN CO.
The A-List Finished Wood Products

These are the most common cladding and decking profiles we sell around the country. If additional looks are desired, please review our moulding library on our website to choose from thousands more.

www.mcilvain.com/millwork-service/moulding-profile-library/



T&G V Edge Crush Bead Profile



Rainscreen Profile



T&G Nickel Gap



T&G Channel Siding



T&G V Edge Profile



Shiplap Nickel Gap



S4S Board Profile

ESTD 1798
J. GIBSON McILVAIN Co.
PREMIUM WOOD PRODUCTS

www.mcilvain.com | 800-638-9100